


SPECIFICATION

DESCRIPTION: 23.1" Touchscreen Strip-Type Advertising Display

Product No: BR23X1B-T

Released Date: 2024.05.21

Revision: V1



Company website: <https://www.brownopto.com/>

<https://www.blhlcd.com/>


Contact email: info@brownopto.com

WhatsApp: +8617748574559



1. Product Parameter(Model: BR23X1B-T)

TFT Screen	Size	23.1"
	Display area	585.216(H)X48.1584(V)mm
	Resolution	1920(V)x158(H)
	Brightness	700 cd/m ²
	Backlight source	WLED
	Lifespan	30000 hours
	Viewable angle	85/85/85/85 (Typ.)(CR≥10)
	Contrast ratio	1000:1
	Frame rate	60 Hz
	Color depth	16.7M , 72% NTSC
Touchscreen	Capacitive touch	G+G structure, 10-point touch, AG surface coating
System	Processor	RockChip RK3566 quad-core processor, max clock speed of up to 1.8GHz
	Memory	Standard configuration of 2GBG
	Built-in storage	16GB (16GB/32GB/64GB selectable)
	External storage	TF card
	Network/BT	Supports 2.4G wireless network WiFi, Bluetooth V4.0 connectivity
	Interface	2 micro USB (OTG), 1 TF, 1 Type-c (DC 12V power supply)
	Operating System	Android 11
Power supply	Power	≤16W
	Voltage	DC 12V
Whole machine and packaging	Size	600.32*64.09*19.1mm
	Net weight	1.05kg
	Package size	820*300*140mm
	Gross weight(5 units per box)	TBA
Environment	Working environment	Temperature: 0°C~50°C Humidity: 10%~85% Pressure: 86kPa~104kPa
	Storage environment	Temperature: -20°C~60°C Humidity: 5%~95% Pressure: 86kPa~104kPa
Certification	CE, FCC certification	Available
Accessories	Warranty	1 year
	Accessories	Adapters, wall mounting plate
	Other options	OTG cable
Optional	information release system	Multiple Format Playback: Displays images, text, videos, web pages, and more.
		Multi-Zone Visual Editing: Supports template management for flexible content layout.
		Distributed Remote Management: Enables remote updates and scheduled power on/off.
		Multi-Account Management: Allows for the assignment of over 50 types of permissions.
		System Monitoring: Provides real-time status updates and terminal log queries.

2.Technical drawing(Model: BR23X1B-T)



3. Picture introduction



4. Packaging sheet

