

SPECIFICATION

DESCRIPTION: 21.2" High-Brightness Advertising Screen

Product No: BR21XCB-N

Released Date: 2024.07.19

Revision: V1



SD card Micro USB (OTG) TYPE-C

Company website: <https://www.brownopto.com/>

<https://www.blhlcd.com/>


Contact email: info@brownopto.com

WhatsApp: +8617748574559

1. Product Parameter(Model: BR21XCB-N)

TFT Screen	Size	21.2"
	Display area	532.7(H)X104.6(V)mm
	Resolution	1920(V)x360(H)
	Brightness	500 cd/m ²
	Backlight source	WLED
	Lifespan	30000 hours
	Viewable angle	89/89/89/89 (Typ.)(CR≥10)
	Contrast ratio	1200:1
	Frame rate	60 Hz
	Color depth	16.7M , 72% NTSC
	Response time	30ms
System	Processor	Rockchip PX30 Quad core ARM Cortex-A35
	Memory	1GB
	Built-in storage	8GB (8GB/16GB/32GB/64GB selectable)
	External storage	Max supports 64GB TF card
	Network/BT	Supports 2.4G wireless network WiFi, Bluetooth V4.0 connectivity
	Interface	1 micro USB (OTG), 1 SD card, 1 Type-c (DC 12V power supply)
	Operating System	Android 8.1
Power supply	Power	≤21W
	Voltage	DC 12V
Whole machine and packaging	Size	549.7*124.6*26mm
	Net weight	≤2.1 kg
	Package size	TBA
	Gross weight	TBA
Environment	Working environment	Temperature: 0°C~50°C Humidity: 10%~85% Pressure: 86kPa~104kPa
	Storage environment	Temperature: -20°C~60°C Humidity: 5%~95% Pressure: 86kPa~104kPa
Certification	CE, FCC certification	Available
Accessories	Warranty	1 year
	Accessories	Adapters, wall mounting plate
	Other options	OTG cable
Optional	information release system	Multiple Format Playback: Displays images, text, videos, web pages, and more.
		Multi-Zone Visual Editing: Supports template management for flexible content layout.
		Distributed Remote Management: Enables remote updates and scheduled power on/off.
		Multi-Account Management: Allows for the assignment of over 50 types of permissions.
		System Monitoring: Provides real-time status updates and terminal log queries.
		Log Statistics and Export: Terminal logs can be queried and exported to Excel documents.

2.Technical drawing(Model: BR21XCB-N)



3. Picture introduction



4. Packaging sheet

